

SDS DRAIN-PURGE-GB Issue 1, Version 4, Revised 30 August 2017 **Total Pages: 6**

Drain-Purge

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

1.1 Product identifier

Drain-Purge

1.2 Relevant identified uses of the mixture and of the company

Single shot condensate drain cleaner

1.3 Details of the supplier of the safety data sheet

Manufactured by (USA): DiversiTech Corporation

6650 Sugarloaf Parkway

Duluth, GA 30097

Manufactured for (UK): Pump House

Glaisdale Drive East Nottingham NG8 4LY United Kingdom Tel: +44 1159005858 Fax: +44 1159294468

Email: www.pumph.co.uk.com

1.4 Emergency telephone number

Emergency tel: 001 +1813 248 0585 24 Hours, 7 Emergency Days, Chem-Tel, Inc.

SECTION 2. HAZARDOUS IDENTIFICATION

2.1 Classification of the mixture

Classification according to Regulation (EC) No 1272/2008 (CLP)

GHS Classification:

Acute Toxicity Oral Category 4 Skin Corrosion Category 1B Eye Corrosion Category 1 Corrosive to Metal Category 1

2.2 Label Elements:





Signal Word Danger!

Hazard Statement(s)

H302 Harmful if swallowed

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage. H290 May be corrosive to metals.

Precautionary statement(s)

P102 Keep out of reach of children. P103 Read label before use. P234 Keep only in original container, P260 Do not breathe mist, vapours, or spray.

P264 Wash hands and affected skin thoroughly after handling.

P280 Wear rubber, nitrile or neoprene protective gloves and clothing, and safety goggles or face shield to protect eyes and face

Immediately call your national POISON CENTRE information service or a doctor. P310

P301 + 330 + 331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303 + 361 + 353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.

P304 + 340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+351+338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Wash contaminated clothing before reuse. P363 P390 Absorb spillage to prevent material damage.



Drain-Purge

SECTION 2. HAZARDOUS IDENTIFICATION (cont.)

Precautionary statement(s) (cont.)

P406 Store in corrosive resistant container with resistant inner liner.

P405 Store locked up.

P501 Dispose of contents and container in accordance with international and local regulations.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

INGREDIENT	CAS No.	EINECS No.	% or Range	GHS Classification	
Potassium hydroxide	1310-58-3	215-181-3	30-40	H314: Acute Toxicity H314: Skin Corrosion	Category 4 Category 1A
				H318: Eye Damage H402: Aquatic Acute	Category 1 Category 3
Sodium silicate	1344-09-8	239-981-7	1-10	H314: Causes severe eye damage H335: May cause respiratory irrit.	Category 1B Category 3

SECTION 4. FIRST AID MEASURES

4.1. Description of first aid measures

Skin contact - Immediately flush skin with plenty of water for at least 15 minutes. Remove all contaminated clothes and footwear immediately unless stuck to skin. Get medical attention immediately after administering first aid.

Eye contact - Immediately flush eyes with plenty of water for 15 minutes, lifting lower and upper eyelids occasionally. If relevant, remove contact lenses. Get medical attention immediately after administering first aid.

Ingestion - Call the nearest poison centre for medical advice. Do not induce vomiting. If conscious, give half a litre of water to drink immediately. Do not leave victim unattended. To prevent aspiration lay victim on side with head lower than waist. Vomit may occur spontaneously.

Inhalation - Remove casualty from exposure ensuring one's own safety whilst doing so. If not breathing give artificial respiration. If breathing becomes laboured, give oxygen. Get medical attention.

4.2 Most important symptoms and effects, both acute and delayed

Causes severe burns to skin, eyes, respiratory tract and gastrointestinal tract. Material is extremely destructive to all body tissues. May be fatal if swallowed. Harmful if inhaled.

4.3 Indication of any immediate attention and special treatment needed

Immediate attention is required in all cases.

Perform endoscopy in all cases of suspected potassium hydroxide ingestion. In cases of severe oesophageal corrosion, the use of therapeutic doses of steroids should be considered. General supportive measures with continual monitoring of gas exchange, acid-base balance, electrolytes, and fluid intake are also required.

SECTION 5. FIREFIGHTING MEASURES

5.1 Extinguishing media

Do not use water. Suitable extinguishing media for the surrounding fire should be used.

5.2 Special hazards arising from the substance or mixture

Can react with certain metals, such as aluminium, to generate flammable hydrogen gas. Hot or molten material can react violently with water.

5.3 Advice for fire-fighters

Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

SECTION 6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. Keep unnecessary and unprotected people away from area of spill. Refer to section 8 of SDS for personal protection details. Remove contaminated clothing immediately.

6.2 Environmental precautions

Do not flush large volumes of caustic residues to the sewer.

6.3 Methods and material for containment and cleaning up

Contain and recover liquid when possible. Residues from spills can be diluted with water, neutralised with dilute acid such as acetic, hydrochloric or sulphuric. Absorb neutralised caustic residue on clay, vermiculite or other inert substance and package in a suitable container for disposal. Do not use aluminium tools to collect absorbed material or aluminium containers to store collected wastes.

6.4 Reference to other sections

Please refer to Section 8 for details on protective wear.



Drain-Purge

SECTION 7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Always add the caustic to water while stirring; never the reverse. Wash hands after handling. Wash clothing after handling. Do not mix with acids or organic materials

7.2 Condition for safe storage, including any incompatibilities

Keep container tightly closed. Protect from physical damage. Store in a cool dry ventilated area away from sources of extreme heat moisture and incompatibilities. Store above 16 degrees centigrade to prevent freezing. Do not store with aluminium or magnesium. Do not mix with acids or organic materials. Containers of this material may be hazardous when empty since they retain product residues.

7.3 Specific end use(s)

No further details

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

POTASSIUM HYDROXIDE

UK - 15 min. STEL: 2 mg/m³

8.2 Exposure controls

Ensure there is sufficient ventilation of the area. Local exhaust ventilation is generally preferred because it can control the emissions of the contaminant at its source, preventing dispersion of it into the general work area.

Eye/face protection: Use chemical safety goggles and/or a full face shield where splashing is possible. A source of running water or other eyewash provisions should be nearby.

Skin protection:

Hand protection: Protective gloves. Other: Protective clothing.

Respiratory protection: Not required during normal use.

Thermal hazards: Not relevant

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Colourless liquid Appearance: Odor: Odourless **Odor Threshold:** No data available pH @ 25°C: 14 Melting Point (Pour Point): -3.9 °C

Boiling Point: 105 °C Flash Point:

No data available Evaporation Rate (Water = 1):

Flammable Limits: No data available Vapor pressure: Same as water Vapor Density: No data available

Relative density: 1.19

Miscible in water Partition Coefficient: n-octanol/water: No data available Auto-ignition temperature: No data available No data available Decomposition temperature: Viscosity: No data available **Explosive properties:** No data available Oxidising properties: No data available

9.2 Other information

No further details

SECTION 10. STABILITY AND REACTIVITY

10.1 Reactivity

Stable under normal conditions.

10.2 Chemical stability

Stable under normal conditions.



Drain-Purge

SECTION 10. STABILITY AND REACTIVITY (cont.)

10.3 Possibility of hazardous reactions

Potassium hydroxide in contact with acids and organic halogen compounds, especially trichloroethylene, may cause violent reactions. Contact with nitro methane and other similar nitro compounds causes formation of shock-sensitive salts. Contact with metals such as aluminium, magnesium, tin and zinc cause formation of flammable hydrogen gas. Potassium hydroxide, even in fairly dilute solution, reacts readily with various sugars to produce carbon monoxide. Precautions should be taken including monitoring the tank atmosphere for carbon monoxide to ensure safety of personnel before vessel entry.

10.4 Conditions to avoid

Heat. Incompatibles

10.5 Incompatible materials

Acids, organic halogen compounds, nitro compounds, metals, various sugars.

10.6 Hazardous decomposition products

Carbon Monoxide. Shock sensitive salts, Decomposition by reaction with nonferrous metals releases flammable and explosive hydrogen gas.

SECTION 11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Potential Health Effects:

- 11.1.1 Acute Toxicity: Harmful if swallowed. Causes severe burns. Swallowing may cause severe burns of mouth, throat and stomach. Severe scarring of tissue and death may result. Bleeding may occur. There may be vomiting and diarrhoea. A fall in blood pressure may occur. Symptoms may be delayed after exposure. May be fatal if swallowed. Harmful if inhaled.
- 11.1.2 Irritation: Skin exposure can cause irritation or severe burns and scarring with greater exposures. Causes irritation of eyes, and with greater exposures it can cause burns that may result in permanent impairment of vision, even blindness. Effects from inhalation of mist vary from mild irritation to serious damage of the upper respiratory tract, depending on severity of exposure. Symptoms may include sneezing, sore throat or runny nose, redness, itching or burning. Severe pneumonitis may occur.
- 11.1.3 Corrosive: Yes Causes severe burns to skin, eyes, respiratory tract, and gastrointestinal tract. Material is extremely destructive to all body tissues.
- 11.1.4 Sensitisation: Not expected to be a sensitizer.
- 11.1.5 Repeated dose toxicity: Not expected to lead to concerns when compared to corrosively.
- 11.1.6 Carcinogenicity: Not expected to be carcinogenic.
- 11.1.7 Mutagenicity: Not expected to be mutagenic
- 11.1.8 Toxicity for reproduction: Not expected to be toxic for reproduction.
- 11.1.9 Route of exposure: The main route of exposure is expected to be via dermal contact. Exposure may also occur via inhalation.
- 11.1.10 Symptoms related to the physical, chemical and toxicological characteristics: Causes severe burns to skin, eyes, respiratory tract, and gastrointestinal tract. Material is extremely destructive to all body tissues. May be fatal if swallowed. Harmful if inhaled. Effects from inhalation of mist vary from mild irritation to serious damage of the upper respiratory tract, depending on severity of exposure. Symptoms may include sneezing, sore throat or runny nose, redness, itching or burning. Severe pneumonitis may occur.

SECTION 12. ECOLOGICAL INFORMATION

12.1 Toxicity

No data available.

12.2 Persistence and degradability

No data available.

12.3 Bioaccumulative potential

No data available.

12.4 Mobility in soil

No data available.

12.5 Results of PBT and vPvB assessment

This substance is not identified as a PBT substance.

12.6 Other adverse effects

No data available.



Drain-Purge

SECTION 13. DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Disposal operations - Transfer to a suitable container and arrange for collection by specialised disposal company.

Disposal of packaging - Whatever cannot be saved for recovery or recycling should be managed in an appropriate and approved waste facility.

Please follow all local, regional, national and international laws.

SECTION 14. TRANSPORTATION INFORMATION

14.1 UN number: UN 3266

14.2 UN proper shipping name: Corrosive Liquid, Basic, Inorganic, N.O.S. (contains potassium hydroxide)

14.3 Transport hazard class(es): Class 8

14.4 Packing group: II

14.5 Environmental hazards: Not Environmentally Hazardous Substance

14.6 Special precautions for user

14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code: Not applicable to packaged goods

Mode-specific information:

ROAD/RAIL (ADR/RID/CDG) Transport category 1

Tunnel restriction code E

SEA (IMDG) Not Marine Pollutant

IMDG Code segregation group18 – Alkalis

EmS: F-A S-B

AIR (ICAO/IATA) ERG Code 8L

SECTION 15. REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substances or mixture

The regulatory information given above only indicates the principal regulations specifically applicable to the product described in the safety data sheet. The user's attention is drawn to the possible existence of additional provisions which complete these regulations. Refer to all applicable national, international and local regulations or provisions.

15.2 Chemical safety assessment

A chemical safety assessment has not been conducted.

SECTION 16. OTHER INFORMATION

Other information

This safety data sheet is prepared in accordance with Regulation (EC) No 1272/2008 (CLP).

Revision Summary: All Sections: New GHS Format

Abbreviations:

UN Model Regulations means the Model Regulations annexed to the most recently revised edition of the Recommendations on the Transport of Dangerous Goods published by the United Nations.

IMDG Code means the International Maritime Dangerous Goods code, as amended.

ADR means the European Agreement concerning the International Carriage of Dangerous Goods by Road, as amended.

RID means the Regulations concerning the International Carriage of Dangerous Goods by Rail, as amended.

ADN means the European Agreement concerning the International Transport of Dangerous Goods by Inland Waterways, as amended.

Sources of key data:

UK Regulatory References: The Control of Substances Hazardous to Health Regulations 2002 (as amended 2004). European Regulation (EC) No 1272/2008 on classification, labeling and packaging of substances and mixtures.

Approved Code of Practice: Safety Data Sheets for Substances and Preparations. Classification and Labelling of Substances and Preparations Dangerous for Supply. British

Workplace Exposure Limits EH40.

Classification and Labelling Guidance: Globally Harmonized System of Classification and Labelling of Chemicals (GHS), Annex 2
Precautionary Statement and Pictograms: Globally Harmonized System of Classification and Labelling of Chemicals (GHS), Annex 3
Guidance on the Preparation of Safety Data Sheets: Globally Harmonized System of Classification and Labelling of Chemicals (GHS), Annex 4



Drain Purge

SECTION 16. OTHER INFORMATION (cont.)

IMPORTANT:

The information presented herein, while not guaranteed, was prepared by competent technical personnel and is true and accurate to the best of our knowledge. NO WARRANTY OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE, OR WARRANTY OR GUARANTY OF ANY OTHER KIND, EXPRESS OR IMPLIED, IS MADE REGARDING PERFORMANCE, SUITABILITY, STABILITY OR OTHERWISE. The information included herein is not intended to be all-inclusive as to the appropriate manner and/or conditions of use, handling and/or storage. Factors pertaining to certain conditions of storage, handling, or use of this product may involve other or additional safety or performance considerations. While our technical personnel will be happy to respond to questions regarding safe handling and use procedures, safe handling and use remains the responsibility of the customer. No suggestions for use are intended to, and nothing herein shall be construed as a recommendation to, infringe any existing patents or violate any laws, rules, regulations or ordinances of any governmental entity.