

SDS PRO-FOAM+-GB , SPRO-FOAM+
Issue 1, Version 4, Revised 28 August 2017

Total Pages: 5

Pro-Foam+

SECTION 1. IDENTIFICATION OF THE MIXTURE AND OF THE COMPANY

1.1 Product identifier

Pro-Foam+

1.2 Relevant identified uses of the mixture and uses advised against

Alkaline based condensing coil cleaner

Uses advised against: Any applications other than those specified above.

1.3 Details of the supplier of the safety data sheet:

Manufactured by (USA): DiversiTech Corporation
6650 Sugarloaf Parkway
Duluth, GA 30097

Manufactured for (UK): Pump House
Glaisdale Drive East
Nottingham
NG8 4LY
United Kingdom
Tel: +44 1159005858
Fax: +44 1159294468
Email: www.pumph.co.uk.com

1.4 Emergency telephone number:

Emergency tel: 001 813 248 0585 24 Hours, 7 Days, Chem-Tel, Inc.

SECTION 2. HAZARDOUS IDENTIFICATION

2.1 Classification of the mixture

Classification according to Regulation (EC) No 1272/2008 (CLP)

GHS Classification:

Skin Irritation Category 1B
Eye Irritation Category 1
Corrosive to metals Category 1

2.2 Label Elements:



Signal Word Danger!

Hazard Statement(s)

H314 Causes severe skin burns and eye damage.
H318 Causes serious eye damage.
H290 May be corrosive to metals.

Precautionary statement(s)

P102 Keep out of reach of children.
P103 Read label before use.
P234 Keep only in original container.
P260 Do not breathe mist or spray.
P264 Wash hands thoroughly after handling.
P280 Wear rubber or nitrile protective gloves/protective clothing, and goggles or face shield for eye and face protection.
P310 Immediately call your national POISON CENTRE information service or a doctor.
P301 + 330 + 331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303 + 361 + 353 IF ON SKIN (or hair): Remove immediately all contaminated clothing. Rinse skin with water or shower.
P363 Wash contaminated clothing before reuse.
P304 + 340 IF INHALED: Remove victim to fresh air and keep comfortable for breathing.
P305+351+338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P390 Absorb spillage to prevent material damage.
P405 Store locked up.
P406 Store in corrosive resistant container with a resistant inner liner such as plastic container.
P501 Dispose of contents and container in accordance with international and local regulations.

2.3 Other Hazards:

PBT: This product does not contain substances identified as PBT or vPvB.

Pro-Foam+

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

INGREDIENT	CAS No.	EINECS No.	% Or Range	GHS Classification	
Sodium hydroxide	1310-73-2	215-185-5	15-20	H314: Causes severe skin burns and eye damage H318: Eye Damage H402: Aquatic Acute	Category 1A Category 1 Category 3

3.2 Mixtures

No further information

SECTION 4. FIRST AID MEASURES

4.1. Description of first aid measures

Skin Contact: Immediately rinses skin with plenty of water for at least 15 minutes. Remove all contaminated clothes and footwear immediately unless stuck to skin. Consult a doctor.

Eye Contact: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for 15 minutes, lifting lower and upper eyelids occasionally. Transfer to hospital for specialist examination.

Ingestion: Do not induce vomiting. If conscious, give half a litre of water to drink immediately. Transfer to hospital as soon as possible.

Inhalation: Remove casualty from exposure ensuring one's own safety whilst doing so. If breathing becomes laboured, give oxygen. Consult a doctor.

4.2 Most important symptoms and effects, both acute and delayed

Causes irritation or severe burns to skin and eyes. If inhaled, symptoms may include sneezing, sore throat or runny nose. Swallowing may cause severe burns of mouth, throat and stomach. There may be diarrhea, vomiting, bleeding from the mouth or nose.

4.3 Indication of any immediate attention and special treatment needed

Get medical attention immediately. Perform endoscopy in all cases of suspected sodium hydroxide ingestion. In cases of severe oesophageal corrosion, the use of therapeutic doses of steroids should be considered. General supportive measures with continual monitoring of gas exchange, acid-base balance, electrolytes, and fluid intake are also required.

SECTION 5. FIREFIGHTING MEASURES

5.1 Extinguishing media

Do not use water. Suitable extinguishing media for the surrounding fire should be used.

5.2 Special hazards arising from the substance or mixture

Can react with certain metals, such as aluminum, to generate flammable hydrogen gas.

5.3 Advice for fire-fighters

Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

SECTION 6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. Keep unnecessary and unprotected people away from area of spill. Remove contaminated clothing immediately.

6.2 Environmental precautions

Do not discharge into drains or rivers.

6.3 Methods and material for containment and cleaning up

Contain and recover liquid when possible. Residues from spills can be diluted with water, neutralised with dilute acid such as acetic, hydrochloric or sulfuric. Absorb neutralised caustic residue on clay, vermiculite or other inert substance and package in a suitable container for disposal. Do not use aluminum tools to collect absorbed material or aluminum containers to store collected wastes.

6.4 Reference to other sections

Please refer to Section 8 for details on protective wear.

SECTION 7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Ensure there is sufficient ventilation of the area. Always add the caustic to water while stirring; never the reverse. Wash hands after handling. Empty containers may be hazardous as they retain product residues.

7.2 Condition for safe storage, including any incompatibilities

Store in cool, well-ventilated area. Protect from physical damage. Keep away from incompatibles. Store above 16 degrees centigrade to prevent freezing. Keep away from moisture. Do not use aluminum containers. Do not store with magnesium containers.

7.3 Specific end use(s)

Alkaline based condensing coil cleaner
Industrial section specific solution: None.

Pro-Foam+

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Sodium Hydroxide

UK - 8 hour TWA: 2 mg/m³

UK - 15 min. STEL: 2 mg/m³

8.2 Exposure controls

Ensure there is sufficient ventilation of the area.

Eye/Face Protection: Use chemical safety goggles and/or a full face shield where splashing is possible. Maintain eye wash fountain and quick-drench facilities or a source of running water in the work area.

Skin protection:

Hand protection: Impermeable and acid-resistant gloves.

Other: Wear impervious and acid-resistant protective clothing, including boots, gloves, lab coat, apron or coveralls.

Respiratory protection: A system of local and/or general exhaust is recommended to keep employee below exposure limit. A half-piece particulate respirator (EN 149) may be worn for up to ten times the exposure limit. Local exhaust ventilation is preferred. A full-face piece particulate respirator may be worn up to 50 times the exposure limit.

Thermal hazards: Not relevant

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Appearance:	Yellow liquid
Odor:	Slight odour
Odor Threshold:	Not available
pH:	13
Melting Point/Freezing Point:	-3.9 °C
Boiling Point and boiling range:	104 °C
Flash Point:	Not available
Evaporation Rate (Water = 1):	Not available
Flammable Limits:	Not available
Vapor pressure:	Same as water
Vapor Density:	Not available
Solubility:	Miscible in water
Relative Density:	Same as water
Partition Coefficient: N-Octanol/water:	Not available
Auto-ignition temperature:	Not available
Decomposition temperature:	Not available
Viscosity:	Not available
Explosive properties:	Not available
Oxidising properties:	Not available

9.2 Other information

No further details

SECTION 10. STABILITY AND REACTIVITY

10.1 Reactivity

Stable under normal conditions.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Sodium hydroxide in contact with acids and organic halogen compounds, especially trichloroethylene, may cause violent reactions. Contact with nitro methane and other similar nitro compounds cause the formation of shock-sensitive salts. Contact with metals such as aluminum, magnesium, tin and zinc cause formation of flammable hydrogen gas. Sodium hydroxide, even in fairly dilute solution, reacts readily with various sugars to produce carbon monoxide. Precautions should be taken including monitoring the tank atmosphere for carbon monoxide to ensure safety of personnel before vessel entry.

10.4 Conditions to avoid

Freezing temperatures. Incompatibles.

10.5 Incompatible materials

Acids. Halogens. Nitrates. Magnesium. Aluminum. Zinc. Metal containers.

10.6 Hazardous decomposition products

In combustion emits toxic fumes of carbon dioxide / carbon monoxide. When exposed to nitro compounds cause the formation of shock-sensitive salts.

Pro-Foam+

SECTION 11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Potential health effects:

11.1.1 Acute Toxicity: No data available.

11.1.2 Irritation: Skin exposure can cause irritation or severe burns and scarring with greater exposures. Eye contact causes irritation. May cause permanent damage. May cause permanent blindness.

11.1.3 Corrosive: In contact with skin, causes severe burns.

11.1.4 Sensitisation: Not a skin sensitizer.

11.1.5 Repeated dose toxicity: No effect.

11.1.6 Carcinogenicity: Not expected to be carcinogenic.

11.1.7 Mutagenicity: Not expected to be mutagenic.

11.1.8 Toxicity for reproduction: Not expected to be toxic for reproduction.

11.1.9 Route of exposure: Skin contact and inhalation.

11.1.10 Symptoms related to the physical, chemical and toxicological characteristics: Causes irritation or severe burns to skin and eyes. If inhaled, symptoms may include sneezing, sore throat or runny nose. Swallowing may cause severe burns of mouth, throat and stomach. There may be diarrhea, vomiting, bleeding from the mouth or nose.

SECTION 12. ECOLOGICAL INFORMATION

12.1 Toxicity

No data available.

12.2 Persistence and degradability

No data available.

12.3 Bioaccumulative potential

No data available.

12.4 Mobility in soil

No data available.

12.5 Results of PBT and Vpvb Assessment

This product does not contain substances identified as PBT.

12.6 Other adverse effects

No further details.

SECTION 13. DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Disposal operations - Treat empty containers as hazardous.

Disposal of packaging - Whatever cannot be saved for recovery or recycling should be managed in an appropriate and approved waste facility.

Please follow all local, regional, national and international laws.

SECTION 14. TRANSPORTATION INFORMATION

14.1 UN number

UN 3266

14.2 UN proper shipping name

Corrosive liquid, Basic, Inorganic, N.O.S. (Contains Sodium hydroxide)

14.3 Transport hazard class(es)

Class 8

14.4 Packing group

II

14.5 Environmental hazards

Not Environmentally Hazardous Substance.

14.6 Special precautions for user

See section 8

14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Not applicable to packaged goods

Pro-Foam+

SECTION 14. TRANSPORTATION INFORMATION (cont.)

Mode-specific information:

ROAD/RAIL (ADR/RID/CDG)	Transport category 1 Tunnel restriction code E
SEA (IMDG)	Not Marine Pollutant IMDG Code segregation group 18 – Alkalis
AIR (ICAO/IATA)	ERG Code 8L EmS: F-A S-B

SECTION 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

The regulatory information given above only indicates the principal regulations specifically applicable to the product described in the safety data sheet. The user's attention is drawn to the possible existence of additional provisions which complete these regulations. Refer to all applicable national, international and local regulations or provisions.

15.2 Chemical safety assessment

A chemical safety assessment has not been conducted.

SECTION 16. OTHER INFORMATION

Other information

This safety data sheet is prepared in accordance with Regulation (EC) No 1272/2008 (CLP).

Revision Summary: All Sections: New GHS Format

Abbreviations:

UN Model Regulations means the Model Regulations annexed to the most recently revised edition of the Recommendations on the Transport of Dangerous Goods published by the United Nations.

IMDG Code means the International Maritime Dangerous Goods code, as amended.

ADR means the European Agreement concerning the International Carriage of Dangerous Goods by Road, as amended.

RID means the Regulations concerning the International Carriage of Dangerous Goods by Rail, as amended.

ADN means the European Agreement concerning the International Transport of Dangerous Goods by Inland Waterways, as amended.

Sources Of Key Data:

UK Regulatory References: The Control of Substances Hazardous to Health Regulations 2002 (as amended 2004). European Regulation (EC) No 1272/2008 on classification, labeling and packaging of substances and mixtures.

Approved Code of Practice: Safety Data Sheets for Substances and Preparations. Classification and Labelling of Substances and Preparations Dangerous for Supply. British

Workplace Exposure Limits EH40 Classification and Labelling Guidance: Globally Harmonized System of Classification and Labelling of Chemicals (GHS), Annex 2

Precautionary Statement and Pictograms: Globally Harmonized System of Classification and Labelling of Chemicals (GHS), Annex 3

Guidance on the Preparation of Safety Data Sheets: Globally Harmonized System of Classification and Labelling of Chemicals (GHS), Annex 4

IMPORTANT:

The information presented herein, while not guaranteed, was prepared by competent technical personnel and is true and accurate to the best of our knowledge. NO WARRANTY OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE, OR WARRANTY OR GUARANTY OF ANY OTHER KIND, EXPRESS OR IMPLIED, IS MADE REGARDING PERFORMANCE, SUITABILITY, STABILITY OR OTHERWISE. The information included herein is not intended to be all-inclusive as to the appropriate manner and/or conditions of use, handling and/or storage. Factors pertaining to certain conditions of storage, handling, or use of this product may involve other or additional safety or performance considerations. While our technical personnel will be happy to respond to questions regarding safe handling and use procedures, safe handling and use remains the responsibility of the customer. No suggestions for use are intended to, and nothing herein shall be construed as a recommendation to, infringe any existing patents or violate any laws, rules, regulations or ordinances of any governmental entity.